

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims

1. (Currently Amended) A folding sign comprising:
a flexible cover having at least one surface for displaying information;
a supporting device for supporting the flexible cover, wherein the supporting device includes at least two support members that can be moved away from one another ~~can be~~ moved to a collapsed position; and
at least one connecting mechanism that connects the flexible cover to the supporting device, wherein the at least one connecting mechanism is configured to permit the connection to release to allow the supporting device to move to the collapsed position.
2. (Original) The folding sign of claim 1, wherein the supporting device is configured to move between a closed position and an open position, and further comprising a folding mechanism that permits movement of the supporting device from the open position to the closed position and permits movement of the supporting device to the collapsed position upon application of a predetermined force to the sign.
3. (Original) The folding sign of claim 1, wherein the flexible cover includes a sheet of material.
4. (Original) The folding sign of claim 1, wherein the surface displays information that warns of a hazard.
5. (Currently Amended) ~~The folding sign of claim 1,~~ A folding sign comprising:
a flexible cover having at least one surface for displaying information;
a supporting device for supporting the flexible cover, wherein the supporting device
can be moved to a collapsed position; and

at least one connecting mechanism that connects the flexible cover to the supporting device, wherein the at least one connecting mechanism is configured to permit the connection to release to allow the supporting device to move to the collapsed position,

wherein the supporting device holds the flexible cover such that the flexible cover has an apex portion, and the flexible cover includes a shield positioned on at least part of the apex portion.

6. (Original) The folding sign of claim 2, wherein the supporting device includes a plurality of elongated support members.

7. (Currently Amended) ~~The folding sign of claim 6;~~ A folding sign comprising:
a flexible cover having at least one surface for displaying information;
a supporting device for supporting the flexible cover, wherein the supporting device can be moved to a collapsed position; and

at least one connecting mechanism that connects the flexible cover to the supporting device, wherein the at least one connecting mechanism is configured to permit the connection to release to allow the supporting device to move to the collapsed position,

wherein the supporting device is configured to move between a closed position and an open position, and further comprising a folding mechanism that permits movement of the supporting device from the open position to the closed position and permits movement of the supporting device to the collapsed position upon application of a predetermined force to the sign,

wherein the supporting device includes a plurality of elongated support members, and
wherein the flexible cover extends over first end portions of the elongated support members and a plurality of connecting mechanisms connect the flexible cover to second end portions of the elongated support members when the supporting device is in the open position.

8. (Original) The folding sign of claim 7, wherein at least one of the plurality of elongated support members includes a protrusion at the second end portion of the elongated support member, and the corresponding connecting mechanism includes a ring extending around the elongated support member and configured such that the ring can move along the

elongated support member and past the protrusion only after application of the predetermined force.

9. (Original) The folding sign of claim 2, wherein the at least one connecting mechanism inhibits movement of the supporting device to the collapsed position.

10. (Currently Amended) ~~The folding sign of claim 6;~~ A folding sign comprising:
a flexible cover having at least one surface for displaying information;
a supporting device for supporting the flexible cover, wherein the supporting device
can be moved to a collapsed position; and
at least one connecting mechanism that connects the flexible cover to the supporting
device, wherein the at least one connecting mechanism is configured to permit the connection
to release to allow the supporting device to move to the collapsed position,
wherein the supporting device is configured to move between a closed position and an
open position, and further comprising a folding mechanism that permits movement of the
supporting device from the open position to the closed position and permits movement of the
supporting device to the collapsed position upon application of a predetermined force to the
sign,
wherein the supporting device includes a plurality of elongated support members, and
wherein the folding mechanism includes a block member and a plurality of coil
springs, wherein each coil spring is configured to be displaced in a latitudinal direction, a first
end of each of the plurality of coil springs being connected to the block member and a second
end of each of the plurality of coil springs being connected to a respective one of the plurality
of elongated support members.

11. (Original) The folding sign of claim 10, wherein the folding mechanism is configured such that a force applied to the folding sign causes the coil springs to be displaced in a latitudinal direction, thereby allowing the elongated support members to move to the collapsed position.

12. (Original) The folding sign of claim 2, wherein the folding mechanism biases the supporting device toward the open position.

13. (Currently Amended) ~~The folding sign of claim 1, further comprising~~ A folding sign comprising:

a flexible cover having at least one surface for displaying information;

a supporting device for supporting the flexible cover, wherein the supporting device can be moved to a collapsed position;

at least one connecting mechanism that connects the flexible cover to the supporting device, wherein the at least one connecting mechanism is configured to permit the connection to release to allow the supporting device to move to the collapsed position; and

a pull strap provided on the folding sign to facilitate removal of the folding sign from a storage container.

14. (Currently Amended) A folding sign comprising:

a flexible cover having at least one surface for displaying information;

a plurality of support members for supporting the flexible cover; and

a folding mechanism including a block member and a plurality of coil springs that are each connected to a corresponding support member, wherein the coil springs each include coils that are coiled about a respective longitudinal axis, a first end of each of the plurality of coil springs is connected to the block member, and a second end of each of the plurality of coil springs is connected to a respective one of the plurality of support members, wherein each coil spring is configured to be displaced in a latitudinal direction such that at least some of the coils move apart from one another to permit movement of the support members from an open position to a closed position and to permit movement of the support members to a collapsed position upon application of a predetermined force to the sign.

15. (Original) The folding sign of claim 14, wherein the coil springs bias the support members toward an open position.

16. (Original) The folding sign of claim 14, wherein the flexible cover includes a sheet of material.

17. (Original) The folding sign of claim 14, wherein the surface displays information that warns of a hazard.

18. (Original) The folding sign of claim 14, wherein the support members hold the flexible cover such that the flexible cover has an apex portion, and the flexible cover includes a shield positioned on at least part of the apex portion.

19. (Original) The folding sign of claim 14, wherein the flexible cover extends over first end portions of the support members and a plurality of connecting mechanisms connect the flexible cover to second end portions of the support members when the support members are in the open position.

20. (Currently Amended) ~~The folding sign of claim 19;~~ A folding sign comprising:
a flexible cover having at least one surface for displaying information;
a plurality of support members for supporting the flexible cover; and
a folding mechanism including a block member and a plurality of coil springs that are each connected to a corresponding support member, wherein a first end of each of the plurality of coil springs is connected to the block member and a second end of each of the plurality of coil springs is connected to a respective one of the plurality of support members, wherein each coil spring is configured to be displaced in a latitudinal direction to permit movement of the support members from an open position to a closed position and to permit movement of the support members to a collapsed position upon application of a predetermined force to the sign,

wherein the flexible cover extends over first end portions of the support members and a plurality of connecting mechanisms connect the flexible cover to second end portions of the support members when the support members are in the open position, and

wherein at least one of the plurality of support members includes a protrusion at the second end portion of the support member, and the corresponding connecting mechanism includes a ring extending around the support member and configured such that the ring can move along the support member and past the protrusion only after application of the predetermined force.

21. (Currently Amended) ~~The folding sign of claim 14,~~ A folding sign comprising:
a flexible cover having at least one surface for displaying information;
a plurality of support members for supporting the flexible cover; and
a folding mechanism including a block member and a plurality of coil springs that are
each connected to a corresponding support member, wherein a first end of each of the
plurality of coil springs is connected to the block member and a second end of each of the
plurality of coil springs is connected to a respective one of the plurality of support members,
wherein each coil spring is configured to be displaced in a latitudinal direction to permit
movement of the support members from an open position to a closed position and to permit
movement of the support members to a collapsed position upon application of a
predetermined force to the sign,

wherein the connecting mechanisms inhibit movement of the support members to the collapsed position.

22. (Original) The folding sign of claim 14, wherein the folding mechanism is configured such that a force applied to the folding sign causes the coil springs to be displaced in a latitudinal direction, thereby allowing the support members to move to the collapsed position.

23. (Currently Amended) ~~The folding sign of claim 14, further comprising~~ A folding sign comprising:

a flexible cover having at least one surface for displaying information;
a plurality of support members for supporting the flexible cover;
a folding mechanism including a block member and a plurality of coil springs that are
each connected to a corresponding support member, wherein a first end of each of the
plurality of coil springs is connected to the block member and a second end of each of the
plurality of coil springs is connected to a respective one of the plurality of support members,
wherein each coil spring is configured to be displaced in a latitudinal direction to permit
movement of the support members from an open position to a closed position and to permit
movement of the support members to a collapsed position upon application of a
predetermined force to the sign; and

a pull strap provided on the folding sign to facilitate removal of the folding sign from a storage container.

24. (Currently Amended) A folding sign comprising:
a flexible cover having at least one surface for displaying information;
a supporting device for supporting the flexible cover; and
a handle that facilitates carrying of the folding sign, wherein the handle is disposed at a top of the folding sign and includes an informational area for displaying information,
wherein the handle further includes a device configured to be grasped by a hand and a connector for attaching the device to the folding sign.

25. (Currently Amended) ~~The folding sign of claim 24,~~ A folding sign comprising:
a flexible cover having at least one surface for displaying information;
a supporting device for supporting the flexible cover; and
a handle that facilitates carrying of the folding sign, wherein the handle is disposed at a top of the folding sign and includes an informational area for displaying information,
wherein the informational area includes a top recess having an area where a user can display information.

26. (Currently Amended) ~~The folding sign of claim 24,~~ A folding sign comprising:
a flexible cover having at least one surface for displaying information;
a supporting device for supporting the flexible cover; and
a handle that facilitates carrying of the folding sign, wherein the handle is disposed at a top of the folding sign and includes an informational area for displaying information, and
wherein the handle further includes a device configured to be grasped by ~~the~~ a hand and a screw for attaching the device to the folding sign.

27. (Original) A method of using a folding sign, comprising:
providing a folding sign having an area for displaying location-identifying information;
providing a storage container into which the folding sign can be inserted for storage;
associating the storage container with a location;

associating the folding sign with the storage container; and
displaying information identifying the location on the area of the folding sign.

28. (Original) The method of claim 27, wherein the storage container has an area for displaying location-identifying information, and further comprising displaying information identifying the location on the area of the storage container.